



PROCEEDINGS

The 2018 International Conference
on Control, Electronics, Renewable
Energy and Communications
(ICCEREC)

Part Number : CFP18C03-ART
ISBN : 978-1-7281-1993-9



Sponsored and Organized by:



COPYRIGHT PAGE

Copyright and Reprint Permission:

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyrights Manager at pubs-permissions@ieee.org.

All rights reserved.
Copyright ©2018 by IEEE.

Part Number : CFP18C03-ART
ISBN : 978-1-7281-1993-9



Table of Contents

Welcome Message from General Chair	vi
Welcome Message from TPC Chair	vii
Program at a Glance	viii
Committees	xi
AUTHOR INDEX	xvii
PAPERS	
The Detection of On-Off Attacks for the Internet of Things Objects	1
Nanosatellite ADS-B Receiver Prototype for Commercial Aircraft Detection	6
Performance Improvement on 64-QAM Multicarrier with Closed-Loop Rotate Modulation	12
Microstrip Antenna and Tumbling Simulation for CubeSat on Inter- Satellite Link (ISL) System	18
CAPIC: Cache Based on Popularity and Class in Named Data Network	24
Analysis of Satellite Broadband Access Implementation in Indonesia Using Costing Methodology	30
Remote Access Weather Monitoring System Based on Soft Real-Time System (SRTS)	36
Compressive Sensing in the Huffman Coding DWT SVD Medical Image Watermarking	41
Design of Computer Vision Based Ball Detection System on Wheeled Robot Soccer	46
Detection of Pterygium Disease Using Forward Chaining and Viola Jones Algorithm	50
Application of Optimization Heavy Traffic Path with Floyd-Warshall Algorithm	57
Emotion Classification in Song Lyrics Using K-Nearest Neighbor Method	63
Automatic Energy Extraction Methods for EEG Channel Selection	70



Design of Single Poly Flash Memory Cell with Power Reduction Technique at Program Mode in 65Nm CMOS Process	76
Output Response Analyzer of Built-in-Self-Test for 14-Bit ADC in 0.13Mm CMOS Technology	81
CPT-Based Data Hiding in Selected Subband Using Combined Transform and Decomposition Method	86
Chainsaw Sound and Vibration Detector System for Illegal Logging	93
Compressive Sensing for Image Watermarking Discrete Wavelet Transform and Spread Spectrum	99
Model Reduction via Subsystem Decomposition for Flexible Rotor-Magnetic Bearing with Gyroscopic Effect	104
Improving the Reliability of RPM Measurement of UAV Propeller Using Outliers Removal Technique	110
Optimal Thresholding for Direction of Arrival Estimation Using Compressive Sensing	115
Simulation & Emulation Platform for Smart Grid Technologies	122
Design and Economic Analysis of Off-grid PV System for Diesel Abatement in Remote Areas: Case Study of Indonesia	129
QR-based Watermarking in Audio Subband Using DCT	136
Singapore Dollar Recognition Using ORB Feature Based on Android	142
Video Processing for Dual Laser 3D Scanner Prototype Based on Cloud to Cloud Method	149
Performance Evaluation of MikroTik-based Virtual Machine for Small-Scale Network Virtualization on VMware Platform	154
Text Analysis for Hate Speech Detection Using Backpropagation Neural Network	159
Hate Speech Detection Using Latent Semantic Analysis Method Based on Image	166
Lie Detector with Analysis Pupil Dilation and Eye Blinks Analysis Using Hough Transform and Decision Tree	172
Design and Implementation of Battery Management System for On-Grid System	179
16-Bit Low Power Feedforward Architecture Sigma-Delta ADC with Integrator Time Multiplexing	184



Design of Low Power P-Gated Schmitt Trigger SRAM in 65Nm CMOS Technology	189
Histogram-Based Audio Watermarking with Synchronization in Stationary Audio Subband	195
Direction of Arrival Estimation in Low SNR Environment Using Two Stages Sparse Reconstruction	202
Investigation of Padding Schemes for Faster R-CNN on Vehicle Detection	208
Automatic Modulation Detection Using Non-Linear Transformation Data Extraction and Neural Network Classification	213
Centralized Control Parking System Using API Geeknesia	217
Integrating Forest Fire Detection with Wireless Sensor Network Based on Long Range Radio	222
Design and Realization of Linear Array Triangular Patch Microstrip Antenna for Digital Television	226
Mild Cognitive Impairment Classification Using Hjorth Descriptor Based on EEG Signal	231
Sentiment Analysis on User Satisfaction Level of Cellular Data Service Using the K-Nearest Neighbor (K-NN) Algorithm	235
Analysis Text of Hate Speech Detection Using Recurrent Neural Network	242



Welcome Message from General Chair

Dear attendees,



Welcome to ICCEREC 2018, Bandung – Indonesia. It is our great pleasure to welcome you to the International Conference on Control, Electronics, Renewable Energy, and Communications 2018. This is the 4th ICCEREC; the 1st and the 2nd ICCEREC were held also in Bandung in 2015 and 2016, while the 3rd one was held in Yogyakarta last year. This conference series has constantly attracted participants from all over the world. This year, papers submitted to ICCEREC came from authors in North and South America, Europe, Africa, Australia and Asia countries.

For all this achievement, I, as the chair of the conference, deeply thank all attendees and keynote speakers for having actively fostered the ICCEREC series. This achievement is also a result from IEEE conference standards applied by the steering committee. This year, ICCEREC is sponsored by the IEEE Communications Society Indonesia Chapter, the IEEE Signal Processing Society Indonesia Chapter, and the School of Electrical Engineering, Telkom University.

I also like to express my sincere appreciation to all organizing committee members, reviewers, and TPC members for their great efforts and valuable supports. I hope the conference always becomes an event for an excellent technical program and a fruitful opportunity for all participants. Like the preceding ICCERECs, the committee has been doing their best for the inclusion of the conference proceedings to the IEEE Xplore Data Base. So that, the presentations of this conference will be accessible to a wider range of readers and will have continual impact to the research fields. Finally, I hope all attendees experience an enjoyable and memorable moment during their stay in Bandung for the conference.

Bandung, 5 December 2018
Chair of ICCEREC 2018,

Sigit Yuwono, PhD.
Telkom University



Welcome Message from TPC Chair

Dear attendees,



Welcome to ICCEREC 2018, It is a great honor for all of us to host of the fourth International Conference on Control, Electronics, Renewable Energy and Communications (ICCEREC) 2018 in Bandung, Indonesia. Welcome to Bandung and we hope that you enjoy the Sundanese dan Parahyangan hospitality, the richness of its culinary, and its sightseeing.

This conference represents a great achievement in topics of interest, which the best contributors coming from excellent laboratories and schools throughout the world, participate to come and contribute their finest works. Where the high qualified papers in control, electronics, renewable energy and communications will be presented.

The conference received 105 papers with 256 authors from 17 countries. After carefully peer reviews by 109 reviewers, we have 54 accepted papers from 10 countries. Later, we have 43 registered papers from 6 countries. ICCEREC 2018 has maintain high quality technical program.

We also would like to thank to Telkom University as the organizer of the ICCEREC 2018, and ComSoc Indonesia Chapter and SPS Indonesia Chapter that involved as the sponsor of the conference. We hope that fruitful discussions and exchange of ideas between researchers during conference will yield new technological innovations for contributing to a better life for humans in the coming decades.

Best Regards,
TPC Chair of ICCEREC 2018

Dr. Rina Pudji Astuti
Vice President for Research and Student Affairs of Telkom University
Chair of IEEE Communication Society Indonesian Chapter



Program at a Glance

Day 1, December 5 th 2018			
TIME	Ayodya C	Ayodya CD	Ayodya D
08.30 – 09.30		Opening Remark	
09.30 – 10.15		1 st Keynote Speech	
10.15 – 11.00		2 nd Keynote Speech	
11.00 – 11.15		Coffee Break	
11.15 – 12.00		3 rd Keynote Speech	
12.00 – 13.00		Lunch	
13.00 – 14.30	Technical Session 1 (COMM-1)		Technical Session 2 (COMP-1)
14.30 – 14.45		Coffee Break	
14.45 – 16.15	Technical Session 3 (ELEC-1)		Technical Session 4 (CNT-RE + ELEC 3)

Day 2, December 6 th 2018			
TIME	Ayodya C	Ayodya CD	Ayodya D
08.30 – 10.00	Technical Session 5 (COMP-2)		Technical Session 6 (ELEC-2)
10.00 – 10.15		Coffee Break	
10.15 – 11.45	Tutorial		
11.45 – 13.15		Lunch	
13.15 – 14.15	Technical Session 7 (COMM-2)		Technical Session 8 (COMP-3)
14.15 -- 14.30		Coffee Break	

Day 3, December 7 th 2018	
08.00 – 17.00	One Day Tour



Keynote Speaker 1 : Assoc. Prof. Ir. Dr. Irraivan Elamvazuthi (Universiti Teknologi PETRONAS (UTP), Malaysia)

Robotics in Healthcare: Advances and Opportunities



Abstract : The last few decades saw the proliferation of robotics technology in many different industries. The last several years have seen the increasing influence of advances in medical robotics on the healthcare industry. Medical robotics is already a major success with the use of minimally invasive surgical procedures. Increasingly, robots are also being used for rehabilitation of upper and lower extremities aimed at improving the quality of the lives of human beings through effective support of their activities and interactions. This has been made possible due to advancements in areas of intelligent technologies. It is envisaged that a new health ecosystem based on medical robotics will be established in the near future. In this talk, advances in robotic technologies in terms historical timeline, applications, state of the art, emerging trends and opportunities would be examined and explained.

Keynote Speaker 2 : Dr. Nasrullah Armi (Indonesian Institute of Sciences (LIPI))

Dynamic Spectrum Access for Efficient Spectrum Use



Abstract : Recently spectrum utilization attracts many researchers to concern due to scarcity problem in the future wireless access. In order to address this critical problem, the FCC (Federal Communication Commission) has approved unlicensed devices to use license spectrum bands when it is unoccupied by primary user. Consequently, dynamic spectrum access (DSA) techniques are proposed to overcome spectrum inefficiency allocation to further improve spectrum efficiency. DSA system was introduced as one of the most promising technologies available to increase the range and efficiency of spectrum dependent services. DSA system map unused spectrum, and arrange secondary user to operate within the spectrum they have identified. The implementation of DSA systems guarantee that no interferences to the other users by prior observing and sensing the existing spectrum environment. In DSA system, secondary user dynamically access license spectrum and vacate those bands when primary user signal is detected. Cognitive radio (CR) is one



enabling technology for DSA system where it works on overlay system with restriction of no interference to license user activity. Thus, CR MAC protocol has responsibilities to coordinate channel access to licensed bands. The design of DSA MAC protocols imposes new challenges that are not considered in the conventional wireless networks. One of the main issue and challenging problem in designing an DSA MAC protocol is how the unlicensed users decide when and which channel they should sense and access without conflicting the communication to primary user. To respond this issue, this talk enlighten DSA system and future direction of research related cognitive radio as a part of DSA system

Keynote Speaker 3 : Dr. Muhamad Reza (Telkom University, and Solvina Sweden's)



Indonesia e-Vehicle Potential

Abstract : Indonesia currently has more than 260 million population and many of the population are concentrated in few big cities where many people need to commute daily to work, schools or other activities, resulted in many are using cars or motor bike. In 2016, around 25 million cars and 100 million motor bikes are operational in Indonesia. As most of these vehicles are based on fossil fuels, mainly air pollution is becoming one of the consequences. Electric vehicles, including electric cars or electric motor bikes or scooters run on electricity, mostly from batteries. Unlike their conventional counterparts running on gasoline, electric vehicles are cleaner during their operational that they are practically producing no much noise and emitting no air pollution. Potentially, they can be greener even when the electricity is supplied from green, renewable energy sources such as from hydro-, wind-, solar power, etc. Global trends are moving towards electric vehicles. It is therefore important for Indonesia to understand this phenomenon and act correctly and wisely.



Committees

General Chair

- Sigit Yuwono, Phd. (Telkom University, Indonesia)

Secretary

- Ratna Mayasari (Telkom University, Indonesia)

Financial Chair

- Rita Magdalena (Telkom University, Indonesia)

Publicity Chair

- Casi Setianingsih (Telkom University, Indonesia)

Publication Chair

- Muhammad Nasrun (Telkom University, Indonesia)

Technical Program Committee :

TPC Chairs

- Dr. Rina Pudji Astuti (IEEE Comsoc Indonesia Chapter, Indonesia)
- Dr. Muhammad Ary Murti (Telkom University, Indonesia)
- Dr. Eng. Indra Wahyudin Fathona (Telkom University, Indonesia)

Members

- Dr. Rina Pudji Astuti (IEEE Comsoc Indonesia Chapter, Indonesia)
- Dr. Muhammad Ary Murti (Telkom University, Indonesia)
- Dr. Eng. Indra Wahyudin Fathona (Telkom University, Indonesia)
- Dr. Abdallah Kassem (Notre Dame University, Lebanon)
- Prof. Abdel Ghani Aissaoui (University of Bechar, Algeria)
- Prof. Abdelmajid Khelil (Landshut University of Applied Sciences, Germany)
- Prof. Abdennour El Rhalibi (Liverpool John Moores University, United Kingdom (Great Britain))
- Dr. Abrar Ismardi (Telkom University, Indonesia)
- Dr. Agung Trisetyarso (Universitas Bina Nusantara, Indonesia)
- Prof. Akihiro Yamamura (Akita University, Japan)
- Dr. Alban Duverdier (Centre National D'Etudes Spatiales (CNES), France)
- Dr. Alessandro Chimento (Katholieke Universiteit Leuven, Belgium)
- Prof. Alexey Vinel (Halmstad University, Sweden)
- Dr. Ali Humos (Jackson State University, USA)
- Dr. Amitava Mukherjee (Globsyn Business School, Kolkata, India)
- Dr. Animesh Yadav (Syracuse University, USA)



- Dr. Anna Antonyová (University of Prešov in Prešov, Slovakia)
- Prof. António Rodrigues (IT / Instituto Superior Técnico, Portugal)
- Dr. Anukram Mishra (Genus Power Infrastructures Ltd, Jaipur, India)
- Dr. Bambang Nugroho (Telkom University, Indonesia)
- Prof. Bernd Wolfinger (University of Hamburg, Germany)
- Prof. Bin Cao (Harbin Institute of Technology Shenzhen Graduate School, P.R. China)
- Prof. Bong Jun Choi (The State University of New York (SUNY) Korea, Korea)
- Dr. Cesare Sottile (University of Calabria, Italy)
- Dr. Chau Yuen (Singapore University of Technology and Design, Singapore)
- Dr. Chenfei Gao (AT&T Labs – Research, USA)
- Prof. Chia-Ho Ou (National Pingtung University, Taiwan)
- Prof. Chuan-Ming Liu (National Taipei University of Technology, Taiwan)
- Prof. Chunguo Li (Southeast University, P.R. China)
- Dr. Cristiano Silva (Universidade Federal de São João Del-Rei, Brazil)
- Dr. Dario Vieira (EFREI, France)
- Prof. Deepak Choudhary (LPU, India)
- Prof. Dharma Agrawal (University of Cincinnati, USA)
- Dr. Dimitrios D. Vergados (University of Piraeus, Greece)
- Dr. Dimitris Ampeliotis (University of Patras, Greece)
- Dr. Donghyun Kim (Kennesaw State University, USA)
- Prof. Eduard Babulak (National Science Foundation, USA)
- Prof. Eisuke Kudoh (Tohoku Institute of Technology, Japan)
- Dr. El-Sayed El-Alfy (King Fahd University of Petroleum and Minerals, Saudi Arabia)
- Prof. Emilio Jiménez Macías (University of La Rioja, Spain)
- Dr. Emir Husni (Institut Teknologi Bandung, Indonesia)
- Dr. Erna Sugesti (Telkom University, Indonesia)
- Dr. Etimad Fadel (King Abdulaziz University, Saudi Arabia)
- Dr. Felix Albu (Valahia University of Targoviste, Romania)
- Dr. Fereidoun H. Panahi (Keio University, Japan)
- Dr. Ferkan Yilmaz (Yildiz Technical University, Turkey)
- Dr. Floriano De Rango (University of Calabria, Italy)
- Dr. Florin Iov (Aalborg University, Denmark)
- Dr. Florina Almenares (Universidad Carlos III de Madrid, Spain)
- Prof. Francine Krief (University of Bordeaux, France)
- Dr. Galymzhan Nauryzbayev (LN Gumilyov Eurasian National University, Kazakhstan)
- Dr. Gang Wang (PCTEL, Inc., USA)
- Dr. Gang Wu (University of Electronic Science and Technology of China, P.R. China)
- Dr. Gayan Amarasuriya (Southern Illinois University, USA)
- Dr. George Tambouratzis (Institute for Language & Speech Processing, Greece)
- Dr. Gholamreza Alirezai (RWTH Aachen University, Germany)
- Prof. Guodong Zhao (University of Electronic Science and Technology of China (UESTC), P.R. China)
- Dr. Haikal El Abed (Technical Trainers College (TTC), Saudi Arabia)
- Dr. Haixia Peng (University of Waterloo, Canada)
- Prof. Hamid Alasadi (IRAQ- BASRA, Iraq)



- Prof. Hans Schotten (University of Kaiserslautern, Germany)
- Dr. He Li (Muroran Institute of Technology, Japan)
- Dr. Hemant Purohit (Rajasthan Technical University, India)
- Dr. Hemant Kumar Rath (Tata Consultancy Services, India)
- Prof. Hiroki Tamura (University of Miyazaki, Japan)
- Dr. Hiromasa Habuchi (Ibaraki University, Japan)
- Prof. Hoa Nguyen (VNU University of Engineering and Technology, Vietnam)
- Prof. Houbing Song (Embry-Riddle Aeronautical University, USA)
- Prof. Hsiao-Chun Wu (Louisiana State University, USA)
- Dr. Hui Gao (Beijing University of Posts and Telecommunications, P.R. China)
- Dr. Hyunbum Kim (University of North Carolina at Wilmington, USA)
- Prof. Ickho Song (Korea Advanced Institute of Science and Technology, Korea)
- Prof. Ikmo Park (Ajou University, Korea)
- Prof. Imad Jawhar (Al Maaref University, Lebanon)
- Dr. Indrabayu A (Hasanuddin University, Indonesia)
- Dr. Iouliia Skliarova (University of Aveiro, Portugal)
- Dr. Jaafar Gaber (UTBM, France)
- Prof. Jae-Hyun Park (Chung-Ang University, Korea)
- Dr. Jagruti Sahoo (South Carolina State University, USA)
- Dr. Javier Gozalvez (Universidad Miguel Hernandez de Elche, Spain)
- Prof. Jenhui Chen (Chang Gung University, Taiwan)
- Prof. Jia Hou (Soochow University, P.R. China)
- Prof. Jiahong Wang (Iwate Prefectural University, Japan)
- Dr. Jingjing Wang (Tsinghua University, Beijing, P.R. China)
- Prof. João Catalão (FEUP – Faculty of Engineering of the University of Porto, Italy)
- Prof. Joel Rodrigues (National Institute of Telecommunications (Inatel), Brazil)
- Dr. John Vardakas (IQUADRAT Informatica S. L. Barcelona, Spain)
- Prof. Jorge Sá Silva (University of Coimbra, Portugal)
- Prof. Ju Song (Kyung Hee University, Korea)
- Prof. Junping Geng (Shanghai Jiaotong University, P.R. China)
- Dr. Kamran Arshad (Ajman University, United Arab Emirates)
- Prof. Kaori Yoshida (Kyushu Institute of Technology, Japan)
- Prof. Kashem Muttaqi (University of Wollongong, Australia)
- Dr. Katerina Kabassi (TEI of the Ionian Islands, Greece)
- Prof. Klaus David (University of Kassel, Germany)
- Prof. Kui Xu (Army Engineering University of PLA, P.R. China)
- Prof. Laurent Vermeiren (University of Valenciennes, France)
- Dr. Le Zheng (Columbia University, USA)
- Dr. Lei Mo (INRIA, France)
- Prof. Li Xu (Fujian Normal University, P.R. China)
- Dr. Liang Yang (Guangdong University of Technology, P.R. China)
- Mr. Liang-Bi Chen (Southern Taiwan University of Science and Technology, Taiwan)
- Dr. Lin Cai (Illinois Institute of Technology, USA)
- Dr. Lin Gao (Harbin Institute of Technology (Shenzhen), P.R. China)



- Dr. Ling Tang (Aletheia University, Taiwan)
- Dr. Manoj Daigavane (G H Rasoni Institute of Engineering & Technology Nagpur, India)
- Dr. Marco Baldi (Università Politecnica delle Marche, Italy)
- Prof. Marco Listanti (University of Rome “La Sapienza”, Italy)
- Prof. Mhamed Bakrim (University of Cadi Ayyad Marrakech, Morocco)
- Dr. Michael Koch (Devolu AG, Germany)
- Dr. Michele Albano (CISTER/INESC-TEC, ISEP, Polytechnic Institute of Porto, Portugal)
- Prof. Miguel Franklin de Castro (Federal University of Ceará, Brazil)
- Dr. Miguel López-Benítez (University of Liverpool, United Kingdom (Great Britain))
- Dr. Minh-Son Dao (Universiti Teknologi Brunei, Brunei Darussalam)
- Prof. Miroslav Voznak (VSB – Technical University of Ostrava, Czech Republic)
- Dr. Mithun Mukherjee (Guangdong University of Petrochemical Technology, P.R. China)
- Dr. Moez Hizem (SUP'COM, Tunisia)
- Dr. Mohamad Mroue (Lebanese University, Lebanon)
- Prof. Mohamed El-Tarhuni (American University of Sharjah, United Arab Emirates)
- Prof. Mohamed Mosbah (LaBRI/ Bordeaux University, France)
- Dr. Mohamed Moustafa (Egyptian Russian University, Egypt)
- Dr. Mohammad Rashid (Massey University New Zealand, New Zealand)
- Dr. Mohammad Shojarfar (University of Padua, Italy)
- Prof. Mohammed Ridouani (Hassan 2 University Casablanca – ESTC, Morocco)
- Prof. Mu-Song Chen (Electrical Engineering, Da-Yeh University, Taiwan)
- Dr. Muhammad Suryanegara (Universitas Indonesia, Indonesia)
- Dr. Muhammad Reza Kahar Aziz (Institut Teknologi Sumatera, Indonesia)
- Dr. Mustafa Akbaş (Florida Polytechnic University, USA)
- Dr. N Nasimuddin (Institute for Infocomm Research, Singapore)
- Dr. Natarajan Meghanathan (Jackson State University, USA)
- Prof. Neeli Prasad (ITU, Center for TeleInfrastructure (CTIF), USA)
- Dr. Neeraj Kumar (Thapar University Patiala, India)
- Dr. Ngoc Tu Nguyen (University of Minnesota, Twin Cities, USA)
- Dr. Nico Saputro (Florida International University, USA)
- Prof. Nobuhiko Miki (Kagawa University, Japan)
- Dr. Omid Mahdi Ebadati E. (Hamdard University, India)
- Dr. Osmar Ogashawara (Federal University of Sao Carlos, Brazil)
- Mr. Özgür Özdemir (Selcuk University, Turkey)
- Dr. Paolo Crippa (Università Politecnica delle Marche, Italy)
- Prof. Pascal Lorenz (University of Haute Alsace, France)
- Prof. Paul Gendron (University of Massachusetts Dartmouth, USA)
- Prof. Paulo Pinto (Universidade Nova de Lisboa, Portugal)
- Dr. Pavel Loskot (Swansea University, United Kingdom (Great Britain))
- Prof. Philip Moore (Lanzhou University, P.R. China)
- Dr. Ping Zhou (Qualcomm, USA)
- Dr. Prapto Nugroho (Universitas Gadjah Mada, Indonesia)
- Prof. Priya Ranjan (Amity University, India)
- Dr. Radu Vasii (Politehnica University of Timisoara, Romania)



- Dr. Rallis Papademetriou (University of Portsmouth, United Kingdom (Great Britain))
- Dr. Ram Gopal Gupta (Ministry of Information Technology and Communications, India)
- Dr. Ramoni Adeogun (AAU, Denmark)
- Prof. Ray Sheriff (Telecommunications Consultant, United Kingdom (Great Britain))
- Dr. Rick Blum (Lehigh University, USA)
- Prof. Ridha Hamila (Qatar University, Qatar)
- Prof. Rodrigo Campos Bortoletto (São Paulo Federal Institute of Education, Science and Technology, Brazil)
- Dr. Saad Qaisar (School of Electrical Engineering and Computer Science (SECS), NUST, Pakistan)
- Prof. Salahuddin Mohammad Masum (Southwest Tennessee Community College, USA)
- Dr. Santiago Mazuelas (Basque Center for Applied Mathematics-BCAM, Spain)
- Prof. Satoshi Takahashi (Hiroshima City University, Japan)
- Dr. Selma Boumerdassi (Conservatoire National des Arts et Métiers, France)
- Prof. Shamik Sengupta (University of Nevada, Reno, USA)
- Dr. Shuai Zhao (Big Switch Networks, USA)
- Dr. Shyh-Lin Tsao (Cherry Tree Consulting Co., Taiwan)
- Dr. Sofiane Hamrioui (Polytech School, Nantes Universities, France)
- Dr. Son Kuswadi (Politeknik Elektronika Negeri Surabaya, Indonesia)
- Prof. SongNam Hong (Ajou University, Korea)
- Dr. Soo King Lim (Universiti Tunku Abdul Rahman, Malaysia)
- Dr. Sotiris Karachontzitis (University of Patras, Greece)
- Dr. Stefan Mangold (Lovefield Wireless GmbH, Switzerland)
- Prof. Stefan Alexandru Mocanu (University Politehnica of Bucharest, Romania)
- Dr. Subhasis Bhattacharjee (Adobe Systems India Private Limited, India)
- Prof. Subhonmesh Bose (University of Illinois at Urbana Champaign, USA)
- Dr. Swastik Brahma (Tennessee State University, USA)
- Dr. Takuji Tachibana (University of Fukui, Japan)
- Dr. Tariq Umer (COMSATS Institute of Information Technology, Pakistan)
- Prof. Tat Lok (The Chinese University of Hong Kong, Hong Kong)
- Dr. Teerapat Sanguankotchakorn (Asian Institute of Technology, Thailand)
- Dr. Terence Chan (University of South Australia, Australia)
- Mr. Terje Gjengedal (SINTEF, Norway)
- Prof. Terje Jensen (Telenor, Norway)
- Dr. Theofilos Chrysikos (University of Patras, Greece)
- Dr. Tian Zhang (Shandong Normal University, P.R. China)
- Dr. Tomoki Yoshihisa (Osaka University, Japan)
- Dr. Tri Priyambodo (Universitas Gadjah Mada, Indonesia)
- Dr. Tuan Anh Le (Middlesex University, United Kingdom (Great Britain))
- Prof. Valerio Scordamaglia (University of Reggio Calabria, Italy)
- Dr. Victor Hinostroza (Universidad Autónoma de Ciudad Juárez, Mexico)
- Dr. Visvasuresh Victor Govindaswamy (Concordia University, USA)
- Dr. Vladimir Dyo (University of Bedfordshire, United Kingdom (Great Britain))
- Dr. Waail Al-waely (Griffith University / School of Engineering, Australia)
- Dr. Watcharapan Suwansantisuk (King Mongkut's University of Technology Thonburi, Thailand)
- Dr. Wei Feng (Tsinghua University, P.R. China)



- Prof. Wei Wei (Xi'an University of Technology, P.R. China)
- Dr. Weihang Goh (Singapore Institute of Technology, Singapore)
- Prof. Wen Ji (Institute of Computing Technology, Chinese Academy of Sciences, P.R. China)
- Dr. Wenbo Wang (Nanyang Technological University, Singapore)
- Dr. Wenchao Meng (Carleton University, Canada)
- Dr. Wilfried Elmenreich (University of Klagenfurt, Austria)
- Prof. Winston Seah (Victoria University of Wellington, New Zealand)
- Prof. Wuttipong Kumwilaisak (King Mongkut's University of Technology, Thonburi, Thailand)
- Prof. Wuyi Yue (Konan University, Japan)
- Prof. Xiaohu Ge (Huazhong University of Science & Technology, P.R. China)
- Prof. Xiaoya Hu (Huazhong University of Science and Technology, P.R. China)
- Prof. Xinming Zhang (University of Science and Technology of China, P.R. China)
- Dr. Xu Yanli (Shanghai Maritime University, P.R. China)
- Prof. Yang Xiao (The University of Alabama, USA)
- Dr. Yang Yi (Virginia Tech, USA)
- Dr. Yasin Kabalci (Nigde Omer Halisdemir University, Turkey)
- Prof. Ying-Ren Chien (National I-Lan University, Taiwan)
- Dr. Yongjun Xu (Chongqing University of Posts and Telecommunications, P.R. China)
- Prof. You-Chiun Wang (National Sun Yat-Sen University, Taiwan)
- Prof. Young-Chon Kim (Chonbuk National University, Korea)
- Dr. Youssef Said (Tunisie Telecom, Tunisia)
- Dr. Yuansong Qiao (Athlone Institute of Technology, Ireland)
- Dr. Yuhua Xu (PLA University of Science and Technology, P.R. China)
- Dr. Yunbae Kim (ETRI, Korea)
- Prof. Zbigniew Hanzelka (AGH University of Science & Technology, Krakow, Poland)
- Dr. Zhen Zhao (Comcast, USA)
- Dr. Zhenchuan Chai (F5 Networks, USA)
- Dr. Zhi Liu (Shizuoka University, Japan)
- Prof. Zoubir Mammeri (Paul Sabatier University, France)



AUTHOR INDEX

Author Name	Page Number
Adit Kurniawan	12
Agus D. Prasetyo	6
Aji Setiyoko	110
Andrew Osmond	63
Anggunmeka Prasasti	142
Arfianto Fahmi	12
Aris Pujud Kurniawan	217
Asrilani Br. Sipahutar	179
Bambang Setia Nugroho	18
Benyamin Kusumoputro	110
Budhi Irawan	57,142,166
Daniel Purba	179
Devie Ryana Suchendra	36
Dominique Grondin	122
Donny Danudirdjo	86
Edwar Edwar	6
Efri Suhartono	41
Fiky Suratman	213
Fuad Ramdhani	136
Gan Chen	104
Gita Indah Hapsari	217
Hendra Gunawan	115
I Dyah Irawati	136
Ian Yosef	24
Ibrahim Shapiai	70
Ingrid B Escabal	76
Irma Safitri	41,99,195
Isao Takami	104
Iskandar Iskandar	12
Ismail Bin Ibrahim	46
Jean-Pierre Chabriat	122
Ledy Novamizanti	99
Marlindia Sari	46
Mia Rosmiati	222
Michel Benne	122
Moch Fahu Rizal	222
Mohamad Ramdhani	202



Author Name	Page Number
Muhamad Asvial	30
Muhammad Ikhsan Sani	46
Nana Rachmana Syambas	24
Nicolas Coquillas	122
Olga Joy Gerasta	184
Pinto Anugrah	129
Purba Kusuma	50
Radial Anwar	226
Raditiana Patmasari	208
Ratna Mayasari	208
Re-Ann Cristine O. Calimpusan	76,81,184
Rini Handayani	93
Rissa Rahmania	208
Rita Magdalena	202
Robert Nericua	184
Rochelle Sabarillo	189
Selo Sulisty	1
Shahrum Shah Abdullah	70
Suryo Adhi Wibowo	208
Taher Issoufaly	122
Tati Mengko	231
Teguh Gunawan	149
Widy Widyawan	1
William Siagian	179
Yuyun Siti Rohmah	226
Zuwairie Ibrahim	70
Afif Ferdinan	63
Aldi Wiranata	208
Andriyan B. Suksmono	86,115
Arum Sucia Saksesi	242
Budi Prasetya	12
Casi Setianingsih	50,57,63,159,166,172,235,242
Desdwyatma Wahyu Wibawa	235
Dirga Prasetyo	93
Errynando Surya Sasmita	222
Fariz Bafadhah	18
Gelar Budiman	86,136,195
Giva Andriana Mutiara	36,93,217
Hernawan Kurniansyah	213
Heroe Wijanto	18,213



Author Name	Page Number
Hilman Fauzi	70
I Kadek Laga Pandika	57
Ilham Maulana Ahmad Niam	166
Indra Hartarto Tambunan	179
Inung Wijayanto	149
Irvan Boesandi	41
Jefferson A. Hora	76, 81,184,189
Jemie Muliadi	110
Koredianto Usman	115,202
Leanna Yovita	24
Marcel Yap	154
Megatari Handani	36
Muhammad Nasrun	159,172,235,242
Muthia Arza	226
Nabiila Setyadi	159
Nandya Alfarisi Nugraha	142
Reza Pahlevy	6
Simon Siregar	46
Siti Nurlaila Indriani	129
Sugondo Hadiyoso	149,231
Takemitsu Takagi	104
Taufiq Wibowo	172
Umu Hanifah	50
Vera Suryani	1
Yacob Panggalu	30
Yasine Gangat	122
Yosa Yunawan	99

Video Processing for Dual Laser 3D Scanner Prototype based on Cloud to Cloud Method

Inung Wijayanto¹, Sugondo Hadiyoso², Teguh Musaharpa Gunawan³

^{1,3}School of Electrical Engineering, Telkom University, Bandung, Indonesia

²School of Applied Science, Telkom University, Bandung, Indonesia

¹iwijayanto@telkomuniversity.ac.id, ²sugondo@telkomuniversity.ac.id, ³teguhmusaharpa@gmail.com

Abstract—Recently, three dimensional (3D) scanner is a continuous developing scanning technology. There are several approaches used in this technology. The first approach is by using a depth camera and the second approach is by using laser and a standard camera. Previous research had been done to develop a dual laser 3D scanner which able to scan an object with maximum size is 15x15x15 cm. By using cloud to cloud merging method, the result is quite satisfying, and it can scan a physical object and convert it to a 3D digital object with the level of size precision is more than 98%. In this research, we improve the prototype to achieve faster time processing. We change the main scanning method from using image per step into video recording. We make some adjustment to signal processing algorithm, and in result, we achieve better time processing. The time processing is reduced more than 50% of the previous research and the scale precision also getting better.

Index Terms—3d scanner, video processing, cloud to cloud

I. INTRODUCTION

Recently, generating a three-dimensional (3D) model from a physical object has been actively developed. The process is done by a system called 3D scanner. A 3D scanner technology is a real-scene copying technology that used to scan a physical object and transform them into 3D digital form [1]. This technology can be used in active fields application such as fashion, automotive, health, machinery, movie and many more. Some researches on the low-cost design of 3D scanner have been conducted. Ukida et al. [2] propose the use of image scanner to measure a 3D shape, the research use multiple light sources. This research then being developed by recovering 3D shape, color and specular reflections from the objects taken from image scanner [3]. Qun et al. [4] create a portable 3D laser scanner which able to scan 4x4 cm² area. While Frantis et al. [5] develop a 3D scanner using off-the-shelf sensors which use a Kinect camera. In other hands, Musaharpa et al. [6] propose a prototype of 3D scanner which able to scan 15x15 cm² area.

The prototype build by Musaharpa et al. [6] is a dual laser 3D scanner using two lasers and a single camera capturing images based on the rotating table movement. The prototype can construct a 3D digital image by maximizing the point cloud merging, named cloud to cloud. The point clouds are obtained from the data calculation process of multiple frames obtained from the image acquisition process by using the camera [7]. The dual laser 3D scanner technology uses a special method called triangulation method to perform the scanning process. The method uses three main components; they are a camera, laser and turntable [8]. All three elements are arranged in




Fig. 1: Triangulation method using dual laser

certain places which form a triangle and meet the requirements of the triangulation method as shown in Fig. 2.

The image acquisition process in [6] is done step by step. The number of frame images obtained depends on the magnitude of the angle per level of the stepper motor used to drive the turntable. Image captured when stepper motors move as much as one or several levels depending on the setting of the number of frames to be taken. From the previous research results obtained information that the higher number of frames obtained, then the 3D scanning results will be better. However, the maximum number of frames captured is 400 frames, and it takes a long time to get that number of the frame. To achieve more frames with faster time processing, we replace the use of image with video recording for the acquisition process.

This paper is organized as follows: section II describes the video processing in dual laser 3D scanner prototype. Section III examines the performances of our prototype by measuring the precision scale, frame rates and computation time of the system. Finally, Section IV concludes this study and future works.

A. Video Processing

A video is a composed image and displayed with a certain vulnerable time. The number of frames of each video varies depending on the format and camera used in the acquisition process. The higher frame rate of the camera then more frames obtained [9].

To calibrate the device, we adjust the table rotation speed that effects with the number of frames received by the camera. Equation (1) and (2) are used to obtain the desired time.

$$\text{frame rate} = \frac{\text{frame number}}{t} \quad (1)$$

$$t = \frac{\text{frame number}}{\text{frame rate}} \quad (2)$$

By knowing the desired time, then the next thing to do is adjusting the speed of the turntable to get the desired number of frames. The speed of turntable calculated using equation (3)

$$N[\text{rpm}] = \frac{\text{number of rotation}}{t} \quad (3)$$

where t is time in minutes.

To get the desired number of frames in one full rotation of the turntable, then the speed of the turntable can be calculated by entering the value of t from equation (2) to (3), hence obtained following equation,

$$N \text{frame}[\text{rpm}] = \frac{\text{frame rate}}{\text{frame number}} \times 60 \quad (4)$$

From the equation (4), can be seen that to get more frames, the speed of the turntable should be slower. We can get information that the higher frame rate of a camera then the number of frames obtained every second is increasing, or it can also be said that the higher the fps then, the faster times needed to capture the number of specific frames. Based on this information, we formulate that to obtain the number of frames that the acquisition techniques using video recording can be considered. In another condition, we can change the camera with a higher frame rate to obtain more frames.

B. Triangulation Position

Triangulation method is used to calculate the laser line positions which fall in the object. The use of triangulation method is common in the field of 3D scanner technology. This method is used in the field of maxillo-facial surgery to reconstruct dental implant [10]. The process can be modified to match the needs of the application, such as done by Zhang et al. [11], they modified the triangulation method to do fast surface reconstruction. Modification of the triangulation method can produce an effective reconstruction with less computation time such as done by Fahim et al. [12].

In this research, the scanned object and the two lasers are positioned in the form of a triangle. The camera is placed between the two lasers to catch the laser line projection. This placement can be seen in Fig. 2. By calculating the distance between the camera with the laser and also the laser beam angle to the object, we got the optimum angle of the projected laser in the object.

The designed prototype uses a rotating platform to determine the initiating 3D point clouds coordinates. It is placed right in the center of the camera point of view. The initiating 3D point cloud then called as the center of the axis z . Equation (5)




Fig. 2: Initiating 3D point clouds coordinates

and (6) are used to determine horizontal (x) and vertical (y) coordinates. L is the distance between (z) and projected laser line. While α is the angle between the projected laser line and the camera center point of view.

$$x = L * \cos(\alpha) \quad (5)$$

$$y = L * \sin(\alpha) \quad (6)$$

C. Cloud to Cloud Method

Cloud to cloud is a technique to merge several 3D point clouds scan results. This method is referring to the patent owned by Rudd and Haugan [13]. In the first recording point clouds, there is a binding point that used as the merging references for the other point clouds [6]. The point clouds to be merged must have an overlap with the other point clouds. This requirement is needed to achieve an optimum merging combination [14]. In this research, the overlap reference used is the initiation 3d point cloud (z). As the angle between the two lasers is 90° , one of the point clouds needs to be rotated by 90° with a corresponding direction. The rotation is done by using equation (7) and (8) with the rotary axis at its center point $(0,0)$. The x and y is the point clouds coordinates, and α is the angle between the two lasers.

$$a = x \cos \alpha - y \sin \alpha \quad (7)$$

$$b = x \sin \alpha - y \cos \alpha \quad (8)$$

The merging process then can be done by replotting the second point clouds to the first point clouds. The references of this process can be chosen from the point clouds obtained from laser one or laser two.

II. SYSTEM DESIGN

In general, the system that we designed is the development of the system that has been done in previous research [6]. The image acquisition process is not done step by step depending on the rotating table movement, but the process is changed by using video recording. While regarding hardware, we still refer to the use of dual lasers and triangulation methods that used in previous research.




Fig. 3: System design

Basically, the 3D scanning process is divided into two stages. First is the image acquisition process and the second is the reconstruction process. At the first process, the object is placed on the turntable that integrated into the system. Two lasers and a camera are placed in a certain way that meets the triangulation method requirement. The scanning process is done by recording the video of the object, the recording process is done when the object rotates.

In the reconstruction process, the video obtained from the scanning process then extracted into frames and then converted into point cloud form. The image processing is done by first segmenting the laser light that used as a reference to determine the point clouds. Then point clouds that obtained are combined and plotted into three-dimensional shapes to form the scanned object.

A. Hardware Design

The integrated hardware design described in Fig. 3 shows that the prototype consists of an embedded controller system, two lasers, camera, and a personal computer to run the 3D reconstruction software and to control the scanning procedure. There is also a turning table which consists of a stepper motor and its driver. The prototype can scan an object with maximum size is 15x15x15 cm. Redline laser is used as the primary light source with the wavelength of the red color is 635-670 nm which is generally brighter than human eye perceives frequencies [15].

The scanned object is placed in the turntable which can rotate 360°. A micro-stepping motor module does the rotating process. IC A4988 is used as a stepper motor driver that is complete with a built-in translator. The motor stepper can operate in several modes: full, half, quarter up to sixteenth steps [7].

B. Software Design

The camera records laser light on objects into a form of a video that processed by the designed software. The signal processing done by the software are video frame segmentation, image segmentation, determination of point clouds references,




Fig. 4: Flowchart of software system




Fig. 5: Hardware implementation

cloud to cloud merging method and 3D reconstruction. The process is detailed in Fig. 4.

Image acquisition in this research is done by using the video recording process. With certain calculation as explained in equation (4) we can obtain more frames. Then the video captured can be extracted to a set of images. The next process is separating the laser beam from other objects in the frames. We use a simple thresholding method to do the segmentation. The image pixels which has the same color intensity with the laser color are then marked with red line color. In other hands, the non-marked pixels are marked with its original color [6]. The red lines obtained from this process is used to find out the coordinate reference and determine the point clouds.

Coordinates of point clouds are obtained from the calculation




Fig. 6: Software user interface design




Fig. 7: Sample of point cloud calculation

of the interpolation process using trigonometric formula. The formula used to calculate the coordinate of point clouds are shown in eq.(9)-(11)

$$x_{si} = R_i \cos \left[s \times \left(\frac{360^\circ}{m^2} \times (m-1) \right) \right] \quad (9)$$

$$y_{si} = R_i \sin \left[s \times \left(\frac{360^\circ}{m^2} \times (m-1) \right) \right] \quad (10)$$

$$z_{si} = t_i \sin \theta \quad (11)$$

Point clouds obtained from the scanning process using laser 1 and laser 2 are combined by adopting the cloud to cloud merging method. In the merging process, there is a particular condition to qualify the merge process, that both of point clouds must have overlap points. Since the system rotates the objects with z axis as its center point, the overlap points are the z axis from the point clouds.

After completing one full rotation, the obtained point clouds need to be combined to form a digital 3D object. The center of z axis made as for its reference point for combining the point clouds. After all point clouds are merged, it needs to be plotted in a 3D graph so it can be seen in 3D form and represent the scanned object.

TABLE I: Data result of scanning process with video 30 fps

Number of Frame	N[rpm]	Merging Difference	Computation Time (s)	Number of Point Clouds
50	36	1.56	22.51	6148
100	18	1.34	42.42	12218
200	9	1.12	82.24	24350
400	4.5	1.03	161.87	48543
450	4	0.97	181.77	54612
600	3	0.96	241.50	72622

TABLE II: Data result of scanning process with video 15 fps

Number of Frame	N[rpm]	Merging Difference	Computation Time (s)	Number of Point Clouds
50	18	1.43	26.18	6127
100	9	1.38	47.75	12213
200	4.5	1.22	89.91	24354
400	2.25	1.15	176.02	48516
450	2	1.03	198.78	54633
600	1.5	1.04	261.57	72592

III. RESULT AND ANALYSIS

The scale accuracy of the scanned object is tested by comparing the ratio of length, width, and height of the real object to the scanned object. To measure the length, width and height of the object, the Euclidean equation in (12) is used to obtain the distance from one point to another.

$$d = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2 + (z_1 - z_2)^2} \quad (12)$$

By using equation (12), we can calculate the length of AB , AC and AD from the sample shown in Fig. 7. The sample object scanned is a cube then the length, width, and height of the object should be the same. Furthermore, the distance AB , AC and AD should be equal. Hence it has a 1: 1: 1 side-to-side ratio, but it still needs to be proven through testing. To find out the value of the ratio of the scanned object, then we have to find L which is the longest value of the side as a reference to determine the largest ratio value. Hence the ratio of the scanned object can be obtained with the equation (13).

$$AB : AC : AD = \frac{ab}{L} : \frac{ac}{L} : \frac{ad}{L} \quad (13)$$

By knowing comparison ratio between scanned object and real object hence can be obtained how big scale accuracy from the result of scanning. The equation can be written as follows.

$$Scale\ Precision = \frac{AB + AC + AD}{3L} \times 100\% \quad (14)$$

While to know merging accuracy of the points clouds, then we can do the approach by measuring the distance difference between point cloud from laser 1 and laser 2. The distance difference is obtained by finding the mean distance from each point of point clouds, the distance can also be obtained by using the Euclidean formula in equation (12).

From Table I and II we can see that the calculation time by using 30 fps video is faster than using 15 fps video. In the first




Fig. 8: Graphic relation between number of frame, image acquisition method and computation time

TABLE III: Comparison with previous research

	Number of frames	computation time (s)	scale precision (%)
image based scanning [6]	50	100,23	96,23
	100	172,34	97,67
	200	283,87	97,67
	400	486,56	98,54
video based scanning (15 fps)	50	26,18	96,34
	100	47,75	97,41
	200	89,91	97,93
	400	176,02	98,32
video based scanning (30 fps)	50	22,1	97,21
	100	42,42	97,43
	200	82,24	97,43
	400	161,86	98,68

case, to obtain 50 frames the time processing requires up to 26.18 seconds using 15 fps video while it only requires 22.51 seconds using 30 fps videos. This happens because for 15 fps video there are only 15 frames in every single second while for 30 fps video there are 30 frames in every second of video. So, the time to get 50 number of frames for 30 fps video is twice faster than 15 fps video.

The time processing for the merging difference, precision scale and the number of the point cloud is relatively the same in each corresponding number of the frame. This similarity is caused by all of them through the same process start from image extraction from video until the reconstruction process into 3D point clouds.

IV. CONCLUSION

In this research, we can enhance the dual laser 3D scanner prototype which can scan an object with maximum size 15x15x15 cm. The result shows that the use of video processing instead of image processing resulting in a better performance. The time processing can be reduced more than 50% from the previous research. This time decreasing also increase the scale precision of the 3D modeling. By increasing the frame rate

of the video may leads a better scale precision result. The next development of the prototype is by adding *.stl converting tools so that the scanned image can be directly edited or reprinted by using a 3D printer.

REFERENCES

- [1] X. Chen, Q. Xia, and S. Zhang, "3D Laser Scanner System For Surveying And Engineering," *Proc. of the International Society for Photogrammetry and Remote Sensing*, no. 66, pp. 3–5, 2005. [Online]. Available: ftp://jetty.ecn.purdue.edu/jshan/proceedings/URBAN_URS05/chen.pdf
- [2] H. Ukida, Y. Tanimoto, T. Sano, and H. Yamamoto, "3D object reconstruction using image scanner with multiple light sources," *2010 IEEE International Conference on Imaging Systems and Techniques*, pp. 115–120, 2010. [Online]. Available: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=5548460>
- [3] —, "3D shape scanner using multiple light sources," *2010 IEEE Instrumentation & Measurement Technology Conference Proceedings*, pp. 998–1002, 2010. [Online]. Available: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=5488280>
- [4] Z. Qun, H. Wenbo, J. Chenghao, J. Yutong, and Y. Jinhua, "Studies on portable 3D laser scanner for surface flaws," *Proceedings of the 2012 2nd International Conference on Instrumentation and Measurement, Computer, Communication and Control, IMCCC 2012*, pp. 1297–1299, 2012.
- [5] P. Frantis and M. Toman, "Low-cost 3D scanner using Off-The-Shelf technologies," *ICMT 2015 - International Conference on Military Technologies 2015*, 2015.
- [6] T. Musaharpa, I. Wijayanto, and S. Hadiyoso, "Prototype Implementation of Dual Laser 3D Scanner System Using Cloud to Cloud Merging Method," *IEEE Asia Pacific Conference on Wireless and Mobile*, pp. 6–10, 2017.
- [7] M. Abdel-Bary Ebrahim Professor, "3D Laser Scanners' Techniques Overview," *International Journal of Science and Research Index Copernicus Value Impact Factor*, vol. 14611, no. 10, pp. 2319–7064, 2013. [Online]. Available: www.ijsr.net
- [8] S. Ongkodjojo, R. Adipranata, A. Oentaryo, J. T. Mesin, and F.-u. Petra, "System and Algorithm Design of 3 Dimensional Object Identification use Laser Pointer as Beam Generator," *Seminar Nasional Teknik Mesin*, no. April, 2008.
- [9] A. Murat Tekalp, *Digital Video Processing*. New York: Prentice Hall, 1995, vol. 1.
- [10] M. Pardonge, B. Walravens, M. Demeyere, K. T. Duy, R. Olszewski, H. Reyhler, B. Raucant, and C. Eugene, "3D Reconstitution of Dentition by Laser Triangulation Under Structured Lighting," in *2007 IEEE International Workshop on Medical Measurement and Applications*. IEEE, may 2007, pp. 1–4. [Online]. Available: <http://ieeexplore.ieee.org/document/4285164/>
- [11] X. Zhang, G. Li, J. Zhao, and Z. Hou, "New triangulation method for surface scattered points," *2014 IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2014*, pp. 541–546, 2014.
- [12] M. A. N. I. Fahim, S. Mostafa, J. Tasnim, and A. B. M. A. Hossain, "Alignment of 3-D scanning data for polygonal mesh based on modified triangulation," *2017 6th International Conference on Informatics, Electronics and Vision & 2017 7th International Symposium in Computational Medical and Health Technology (ICIEV-ISCMT)*, pp. 1–5, 2017. [Online]. Available: <http://ieeexplore.ieee.org/document/8338574/>
- [13] E. P. Rudd and C. E. Haugan, "Point cloud merging from multiple cameras and sources in three-dimensional profilometry," 2014. [Online]. Available: <https://patents.google.com/patent/EP3194939A1>
- [14] A. Zakaria, H. Handayani, M. Sc, T. Geomatika, F. Teknik, I. Teknologi, and S. Nopember, "Studi Pemodelan 3D Menggunakan Terrestrial Laser Scanner Berdasarkan Proses Registrasi Target to Target (Studi Kasus : Candi Brahu , Mojokerto)," *Jurnal Teknik ITS*, vol. 4, no. 1, 2016.
- [15] S. Pikatan, "Laser," *Kristal Magazine, Fakultas Teknik Universitas Surabaya*, 1991.