



**AP WiMob**

---



IEEE ASIA PACIFIC  
CONFERENCE ON  
WIRELESS AND MOBILE  
2017

---

**PROCEEDINGS**

IEEE CATALOG NUMBER: CFP1775X-ART,  
ISBN: 978-1-5386-2373-2

---

NOVEMBER 28 - 29, 2017  
THE TRANS LUXURY HOTEL  
BANDUNG -INDONESIA

Sponsored  
and Organized by

**IEEE  
ComSoc™**  
IEEE Communications Society  
Indonesia Chapter

CONTACT INFORMATION :  
+6285222817898 (RATNA)  
INFO@APWIMOB.ORG

Copyright and Reprint Permission: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyright Manager at [pubs-permissions@ieee.org](mailto:pubs-permissions@ieee.org) All right reserved Copyright ©2017 by IEEE

## WELCOME MESSAGE FROM GENERAL CHAIR OF APWiMOB 2017

Welcome to APWiMob  
2017, Bandung –  
Indonesia

It is our great pleasure to invite you to attend the 2017 IEEE Asia Pacific Conference on Wireless and Mobile (APWiMob 2017), which is the 4th of the consecutive series initiated in 2014 in Bali, followed in 2015 and 2016 in Bandung.

APWiMob 2017 is international: papers have been submitted not only from Asia-Pacific countries but also from America, Europe and Africa. We cordially welcome you to APWiMob 2017. Besides, we would like to take this opportunity to take this opportunity to express our sincere appreciation to the leading scientists, session organizers and all contributors for their great help and valuable supports to APWiMob 2017. Many thanks also to the Technical Program Committee, the Organizing Committee, and the International

Steering Committee as well as the sponsors, the IEEE Communications Society Chapter Indonesia, for their efforts to bring all the participants an excellent technical program and an opportunity to spend a pleasant time at the conference.

APWiMob 2017 provides an international forum for researchers, academicians, professionals, and students from various engineering fields and with crossdisciplinary interests in wireless communications and mobile technologies, networks, services, and applications to interact and disseminate information on the latest developments. It is expected that the attendees will bring many benefits to the scientific and technological development for all countries and to formation of new international cooperation and strengthening of established international collaborations. The committee is doing its best effort for the inclusion of the conference proceedings to the IEEE Xplore Data Base. The presentations of this conference will be accessible to a wider range of readers and will have continual impact to this research field.

Bandung is the capital city of West Java Province. It is the historic site of the first university in Indonesia. It is also popular place for leisure activities for people not only from Jakarta, the capital of Indonesia, but also from Malaysia and Singapore thanks to its strategic location that is reachable by railways, highways, as well as air plane. We hope all of attendees an enjoyable and memorable stay in Bandung, Indonesia.

Best Regards,

Dr. Rina Pudji Astuti  
Chair of APWiMob  
2017



## **WELCOME MESSAGE FROM TPC CHAIR OF APWiMOB 2017**

Dear Ladies and Gentleman,

It has always been a pleasure to host and to welcome researchers, academics, practitioners, and students from across national borders for a shared, prestigious event like APWiMob 2017, the IEEE Asia Pacific Conference on Wireless and Mobile 2017, in Bandung, where the high qualified papers in wireless communications and mobile technologies, networks, services, and applications to interact and disseminate information on the latest developments, will be presented. The conference received 57 papers from 122 authors of 11 countries and through high qualification of reviewing process and tight registration process APWiMob 2017 will publish 25 papers from 71 authors of 6 countries with high qualified papers.



The research in advanced information and communication technologies and services, and also communications networks with advanced technologies are very important since it represents a great achievement in topics of interest, which the best contributors coming from excellent laboratories and schools throughout the world, precipitate to come and contribute their finest works. Therefore, this conference will become the landmark for engineering society to express their thoughts and skills in finding best algorithms or modern mathematical modeling for the future technology. Not only the high qualified papers, the conference is supported by 2 distinguished experts in keynote sessions.

We would like to express special appreciation for 96 TPC members and reviewers that supported the review process, thus enable us to present high qualified conference in communications technology.

We wish to express strong appreciation to our most important sponsors IEEE ComSoc Indonesia Chapter. We are also blessed to have two distinguished Guest Speakers: Prof. Dr. Jan Martin Pawlowski and Prof. Dr. Mustafa Mat. Deris. As always, many thanks are due to all members of APWiMob 2017 committee for their dedication for making this conference a success. Above all, thank you to all of you for coming to this conference.

We warmly invite you to taste Bandung food, walk its streets, and bring from Bandung some memorable items that will keep your heart in touch with this historical and pleasant city of Bandung.

Best regards,

Dr. Muhammad Ary Murti  
TPC Chair of APWiMob  
2017

## PROGRAM AT A GLANCE

Tuesday, November 28 <sup>th</sup> 2017		
NO	Time	Event
1	08:00-09:00	Registration Venue: BoardRoom Foyer, Trans Hotel
	08:45-09:00	Safety Conduct
2	09:00-10:00	Opening Ceremony
	09:10-09:20	Conference Report (Dr. Irfan Darmaan)
	09:20-09:30	Welcoming Speech
	09:30-09:50	Opening Remarks
	09:50-10:00	Art Performance
3	10:00-10:20	Keynote Speech-1, Prof. Dr. Jan Martin Pawlowski (Business Information Systems at the Ruhr West University of Applied Sciences and Research) Professor at the University of Jyväskylä, Finland
4	10:20-10:40	Keynote Speech-2, Prof.Dr.Mustafa Mat. Deris (Universiti Tun Hussein Onn Malaysia)
	10:40-10:45	Paralel Session Announcement
5	10:45-11:00	Coffee Break
6	11:00-12:30	Paralel Session 1 - Paper Presentation (Room 4)
7	12:30-13:30	LUNCH
8	13:30-15:00	Paralel Session 2 - Paper Presentation (Room 4)
9	15:00-15:30	Coffee Break
10	15:30-17:00	Paralel Session 3 - Paper Presentation (Room 3&4)
11	19:00-21.00	Conference Gala Dinner
		Best Paper Awards
		Photo Session
Wednesday, November 29 <sup>th</sup> 2017		
12	08:00-end	Tour

## KEYNOTE SESSION



**Prof. Dr. Jan Martin Pawlowski**  
 Institute of Computer Science Ruhr West University of  
 Applied Sciences Mülheim an der Ruhr, Germany

Born global innovation – towards sustainable, collaborative innovation processes across borders

How can we develop innovation in the global context? Can we find sustainable models for collaborative innovation across the globe? These are the key questions for researchers and practitioners in enterprises and universities. The presentation will shed light on current research trends and future challenges which can only be addressed on a global scale. Innovation is a key to success of organizations and societies - different forms of innovation processes are suitable for different contexts such as frugal innovation for less developed countries. In most cases, researchers and product developers compete for new products and faster product lifecycles. However, innovation can be more fruitful for all, individuals, organizations and societies when executed in a collaborative way. As a starting point, the presentation proposes a new form of innovation: born-global innovation. Born-global innovation describes a partly open innovation process which aims at parallel innovation processes in different countries and markets to increase time-to- market and outreach / scale of innovations. To successfully initiate these processes, trust building and idea creation is a key. I will discuss the main barriers to born-global innovation as well as possible solutions and future research issues.



**Prof. Dr. Mustafa Mat. Deris**  
 Universiti Tun Hussein Onn Malaysia

### **INFORMATION REDUCTION USING ROUGH SET THEORY AND CONDITIONAL ENTROPY**

The growing size of data is a new challenge to discover knowledge in order to support the decision- making process. Another important reason is that, to find rules to support the process of data classification based on users' need is computationally intensive. With the growing of data the information size becomes growing elsewhere. However, some information comprises of redundant records/ elements that can be reduced in order to improve the efficiency of processing. Several techniques have been proposed to reduce records only but not both records and attributes. The classical rough set theory has been used in analyzing complete information systems, where all attribute values are available to all objects. With this capacity, the presentation would like to propose an approach by means of rough set theory for record reduction and conditional entropy for attribute reduction that can reduce the processing time, and at the same time does not jeopardize the accuracy of the decision process. Another important issue is that some Information systems are incomplete where some attribute values are not available or missing. Subsequently, the attribute selection is one of the main problems in incomplete information systems. Only few studies were proposed for the attribute selection problem in incomplete information systems due to its complexities, specifically on attribute selection. Thus, this is another challenge in order to come out a new technique/approach that would be able to solve the issues.

## PAPERS INDEX

No	Title	Page Number
1	Combined Adaptive Wavelet Level and Singular Value Decomposition Method for Audio Watermarking System	1
2	Comparison of ECDSA and RSA Signature Scheme on NLSR Performance	7
3	Controlling and Monitoring Ornamental Plants Care Remotely Using Android-based Application	12
4	Copyright Protection Based on Arnold Transform Wavelet Method in Audio Watermarking	19
5	Design of Smart Door System for Live Face Recognition Based on Image Processing Using Principal Component Analysis and Template Matching Correlation Methods	23
6	Multilevel Adaptive Wavelet BCH Code Method for Copyright Protection in Audio Watermarking System	30
7	Prototype Implementation of Dual Laser 3D Scanner System Using Cloud to Cloud Merging Method	36
8	System Design and Implementation Automation System of Expert System on Hydroponics Nutrient Control Using Forward Chaining Method	41
9	Traffic Sign Recognition Application Using Scale Invariant Feature Transform (SIFT) Method and Support Vector Machine (SVM) Based on Android	47
10	Traffic Sign Recognition Application Using Speeded Up Robust Features (SURF) and Support Vector Machine (SVM) Based on Android	52
11	Translation Russian Cyrillic to Latin Alphabet Using SVM (Support Vector Machine)	59
12	DESIGN AND IMPLEMENTATION OF SMART VILLAGE MAPPING GEOGRAPHIC INFORMATION SYSTEM BASED WEB IN THE CINUNUK VILLAGE	66
13	Design and Simulation Multi Layer Parasitic Microstrip Biquad Patch Antenna for WLAN 2.4Ghz Application	72
14	Energy-Efficient Localization with OFDM Transmission in Multipath Channels	76
15	Necessity of Received RF Voltage Drive for Direct Antenna to Electro Optic Modulator in Distributed Antenna System	82
16	Network-Managed Localization Protocol for WiMAX	88
17	Performance Analysis of Block Diagonalization Linear Precoding Technique on Multi User MIMO-GFDM System Using MMSE Detector	94

18	Performance Analysis of Regularized Channel Inversion Precoding in Multiuser MIMO-GFDM Downlink Systems	101
19	Performance Analysis of Wavelet Packet Transform for MIMO OWDM Beamforming System over Rayleigh Fading Channel	106
20	An FPGA Test Bed for Spectrum Sensing in Cognitive Radio	112
21	Antenna Microstrip Using Electromagnetic Band Gap (EBG) with Circular Patch for Inter-Satellite Link (ISL) on Low Orbit Satellite	118
22	Application of an Enhanced V2VUNet in a Complex Three-dimensional Inter-vehicular Communication Scenario	122
23	Comparison of Different WLAN Standard on Propagation Performance in V2V Named Data Networking	128
24	Design of Microstrip Antenna for Wireless Capsule Endoscopy in Wireless Body Area Network	134
25	The Impact of Message Transmission Scheduling in DTN Message Delivery Across Multiple Islands	138

## AUTHORS INDEX

No	Authors Name	Page Number
1	Aldilano Bella Marlintha	66
2	Alimuddin Manda	72
3	Agussalim Agussalim	138
4	Armin Lawi	138
5	Budhi Irawan	12, 23, 41, 47, 52, 59, 66
6	Budi Prasetya	106
7	Bambang Nugroho	118, 134
8	Burkhard Stiller	122
9	Casi Setianingsih	23, 47, 52, 59
10	Corinna Schmitt	122
11	Deden Irfan Afryansyah	7
12	Dian Azid	59
13	Donglin Wang	76, 88
14	Dara Aulia Feryando	101
15	Dadan Ramadan	106
16	Dedy Achmadi	128
17	Dian Vektorendra Wahyuda	128
18	Edwar Edwar	7
19	Eko Tjipto Rahardjo	82
20	Endah Wulansari	94
21	E Endroyono	94, 101
22	Fajar Chaeril Azhar	12
23	Fadhel Ghannouchi	76, 88
24	Fiky Y. Suratman	112
25	Fariz Bafadhal	118
26	Irma Safitri	1, 19, 30

No	Authors Name	Page Number
27	Inung Wijayanto	36
28	Lisa Kristiana	122
29	Muhammad Raka Perbawa	7
30	Muh Aprizal A	72
31	Michel Fattouche	76, 82
32	Mohamed Omara	112
33	Mutiara Kaffa	134
34	Miftadi Sudjai	134
35	Masato Tsuru	138
36	Nizar Akbar Arifin	52
37	Purnomo Priambodo	82
38	Riri Fitri Sari;	7, 128
39	Randy Saputra	12, 41
40	Ranti Ratnasari	47
41	Roswan Latuconsina	66
42	Rina Pudji Astuti	112
43	Sugondo Hadiyoso	36
44	Teguh Gunawan	36
45	Titiek Suryani	94, 101
46	Trasma Yunita	118
47	Valerian Ezra Vyanza	23
48	Yakub Nugraha	41
49	Yus Natali	82
50	Yuyun Siti Rohmah	106
51	Yulandi Yulandi	128



# ORGANIZING COMMITTEE

## GENERAL CHAIR

**DR. RINA PUDJI ASTUTI**  
(TELKOM UNIVERSITY, INDONESIA)

## VICE CHAIR

**ARIEF HAMDANI**  
(PT. TELKOM, INDONESIA)

**SATRIYO DHARMANTO**  
(IEEE INDONESIA SECTION)

## SECRETARY

**RATNA MAYASARI**  
(TELKOM UNIVERSITY, INDONESIA)

## PUBLICATION

**EKA KUSUMAWARDHANI**  
(IEEE COMSOC INDONESIA)

## LOCAL ARRANGEMENT

**BUDI SYIHABUDDIN**  
(TELKOM UNIVERSITY, INDONESIA)

# TECHNICAL PROGRAM COMMITTEE:

## GENERAL CHAIR

**DR. MUHAMMAD ARY MURTI**  
(TELKOM UNIVERSITY, INDONESIA)

## TPC MEMBER

- DR. GAYAN AMARASURIYA (SOUTHERN ILLINOIS UNIVERSITY)
- DR. ÁNGEL ANDRADE (UNIVERSIDAD AUTÓNOMA DE BAJA CALIFORNIA)
- DR. ANNA ANTONYOVÁ (UNIVERSITY OF PREŠOV IN PREŠOV)
- DR. KHOIRUL ANWAR (TELKOM UNIVERSITY)
- PROF. EDUARD BABULAK (FORT HAYS STATE UNIVERSITY)
- DR. ALESSANDRO BAZZI (CNR)
- PROF. KOSTAS BERBERIDIS (UNIVERSITY OF PATRAS)
- DR. FERNANDO BORONAT (UNIVERSITAT POLITÈCNICA DE VALÈNCIA)
- DR. LIN CAI (ILLINOIS INSTITUTE OF TECHNOLOGY)
- PROF. AUGUSTO CASACA (INESC-ID)
- PROF. MU-SONG CHEN (ELECTRICAL ENGINEERING, DA-YEH UNIVERSITY)
- PROF. THOMAS CHEN (CITY UNIVERSITY LONDON)
- DR. YUNG-MU CHEN (RUCKUS WIRELESS)
- DR. YU-YI CHENG (INDUSTRIAL TECHNOLOGY RESEARCH INSTITUTE)
- DR. HASSAN CHIZARI (IMPERIAL COLLEGE LONDON, LONDON)
- PROF. HYUN-HO CHOI (HANKYONG NATIONAL UNIVERSITY)
- PROF. YOON-HO CHOI (PUSAN NATIONAL UNIVERSITY)
- DR. ARIANNA D'ULIZIA (CNR)
- DR. MINH-SON DAO (UNIVERSITI TEKNOLOGI BRUNEI)
- PROF. CARL DEBONO (UNIVERSITY OF MALTA)
- PROF. CHRISTOS DOULIGERIS (UNIVERSITY OF PIRAEUS)
- DR. ALBAN DUVERDIER (CENTRE NATIONAL D'ETUDES SPATIALES (CNES))
- DR. EL-SAYED EL-ALFY (KING FAHD UNIVERSITY OF PETROLEUM AND MINERALS (KFUPM))
- PROF. ODIEL ESTRADA MOLINA (UNIVERSITY OF INFORMATICS SCIENCE)
- DR. GIANLUIGI FERRARI (UNIVERSITY OF PARMA)
- PROF. STEFAN FISCHER (UNIVERSITY OF LÜBECK)
- DR. VASILIS FRIDERIKOS (KING'S COLLEGE LONDON)
- DR. LIN GAO (HARBIN INSTITUTE OF TECHNOLOGY (SHENZHEN))
- DR. ROSARIO GARROPO (UNIVERSITY OF PISA)
- PROF. ANNIE GRAVEY (INSTITUT MINES TELECOM - TELECOM BRETAGNE)
- PROF. STEFANOS GRITZALIS (UNIVERSITY OF THE AEGEAN)
- DR. QUANSHENG GUAN (SOUTH CHINA UNIVERSITY OF TECHNOLOGY)
- PROF. IBRAHIM HABIB (CITY UNIVERSITY OF NEW YORK)
- DR. GO HASEGAWA (OSAKA UNIVERSITY)
- PROF. MOHAMED HASSAN (AMERICAN UNIVERSITY OF SHARJAH)
- DR. VICTOR HINOSTROZA (UNIVERSIDAD AUTÓNOMA DE CIUDAD JUÁREZ)
- DR. JINGYU HUA (NANJING UNIVERSITY)
- PROF. SEUNG-HOON HWANG (DONGGUK UNIVERSITY)
- PROF. IMAD JAWHAR (UAE UNIVERSITY)
- PROF. TERJE JENSEN (TELENOR)
- DR. YASIN KABALCI (NIGDE UNIVERSITY)
- DR. KATERINA KABASSI (TEI OF THE IONIAN ISLANDS)
- DR. GOH KAH ONG MICHAEL (MULTIMEDIA UNIVERSITY)
- DR. ARAVIND KAILAS (VOLVO GROUP NORTH AMERICA)
- PROF. ALEXANDROS KALOXYLOS (UNIVERSITY OF PELOPONNESE)
- DR. DONGHYUN KIM (KENNESAW STATE UNIVERSITY)
- PROF. CHI CHUNG KO (NATIONAL UNIVERSITY OF SINGAPORE)
- DR. PENG-YONG KONG (KHALIFA UNIVERSITY)
- DR. DIMITRIOS KOUKOPOULOS (UNIVERSITY OF PATRAS)
- PROF. FRANCINE KRIEF (UNIVERSITY OF BORDEAUX)
- DR. SOO KING LIM (UNIVERSITI TUNKU ABDUL RAHMAN)
- PROF. MARCO LISTANTI (UNIVERSITY OF ROME "LA SAPIENZA")
- PROF. CHUAN-MING LIU (NATIONAL TAIPEI UNIVERSITY OF TECHNOLOGY) PROF. PASCAL LORENZ (UNIVERSITY OF HAUTE ALSACE)

## TPC MEMBER

- DR. KING-SHAN LUI (THE UNIVERSITY OF HONG KONG)
- DR. MURALIDHAR MEDIDI (GEORGIA SOUTHERN UNIVERSITY)
- DR. NATARAJAN MEGHANATHAN (JACKSON STATE UNIVERSITY)
- PROF. AHMED MEHAOUA (UNIVERSITY OF PARIS DESCARTES)
- PROF. TERUYUKI MIYAJIMA (IBARAKI UNIVERSITY)
- PROF. PHILIP MOORE (LANZHOU UNIVERSITY)
- DR. N NASIMUDDIN (INSTITUTE FOR INFOCOMM RESEARCH)
- PROF. PETROS NICOPOLITIDIS (ARISTOTLE UNIVERSITY)
- PROF. MASAYOSHI OHASHI (FUKUOKA UNIVERSITY)
- PROF. ROSAURA PALMA-OROZCO (INSTITUTO POLITÉCNICO NACIONAL)
- PROF. PANAGIOTIS PAPADIMITRIOU (UNIVERSITY OF MACEDONIA)
- PROF. IKMO PARK (AJOU UNIVERSITY)
- PROF. JAE-HYUN PARK (CHUNG-ANG UNIVERSITY)
- PROF. PAULO PINTO (UNIVERSIDADE NOVA DE LISBOA)
- DR. PEKKA PIRINEN (UNIVERSITY OF OULU)
- DR. ANA PONT (UNIVERSITAT POLITÈCNICA DE VALÈNCIA)
- PROF. PRIYA RANJAN (AMITY UNIVERSITY)
- DR. LUCA REGGIANI (POLITECNICO DI MILANO)
- PROF. CHRISTIAN SCHINDELHAUER (UNIVERSITY OF FREIBURG)
- PROF. RAY SHERIFF (UNIVERSITY OF BRADFORD)
- DR. SANJAY SINGH (MANIPAL INSTITUTE OF TECHNOLOGY)
- PROF. HOUBING SONG (EMBRY-RIDDLE AERONAUTICAL UNIVERSITY)
- PROF. IICKHO SONG (KOREA ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY)
- DR. MUJDAT SOYTURK (MARMARA UNIVERSITY)
- DR. SIM-HUI TEE (MULTIMEDIA UNIVERSITY)
- PROF. WEI-GUANG TENG (NATIONAL CHENG KUNG UNIVERSITY)
- PROF. LJILJANA TRAJKOVIĆ (SIMON FRASER UNIVERSITY)
- DR. JIUN-YU TU (ADVANCE MULTIMEDIA INTERNET TECHNOLOGY INC.)
- PROF. EMMANOUEL VARVARIGOS (UNIVERSITY OF PATRAS & COMPUTER TECHNOLOGY INSTITUTE)
- PROF. ATHANASIOS VASILAKOS (LULEA UNIVERSITY OF TECHNOLOGY)
- DR. RADU VASIU (POLITEHNICA UNIVERSITY OF TIMISOARA)
- DR. DIMITRIOS D. VERGADOS (UNIVERSITY OF PIRAEUS - HELLENIC TELECOMMUNICATIONS AND POST COMMISSION (EETT))
- PROF. JIAHONG WANG (IWATE PREFECTURAL UNIVERSITY)
- DR. YONG WANG (DAKOTA STATE UNIVERSITY, MADISON, SD)
- PROF. WEI WEI (XI'AN UNIVERSITY OF TECHNOLOGY)
- DR. SANTOSO WIBOWO (CQUNIVERSITY MELBOURNE)
- DR. ALEXANDER WIJESINHA (TOWSON UNIVERSITY)
- PROF. BERND WOLFINGER (UNIVERSITY OF HAMBURG)
- PROF. XIAODONG XU (BEIJING UNIVERSITY OF POSTS AND TELECOMMUNICATIONS)
- DR. CHAU YUEN (SINGAPORE UNIVERSITY OF TECHNOLOGY AND DESIGN)
- DR. JI-HOON YUN (SEOUL NATIONAL UNIVERSITY OF SCIENCE AND TECHNOLOGY)
- DR. NOOR ZAMAN (KING FAISAL UNIVERSITY KSA)

# Prototype Implementation of Dual Laser 3D Scanner System Using Cloud to Cloud Merging Method

Teguh Musaharpa G, Inung Wijayanto  
 School of Electrical Engineering  
 Telkom University  
 Bandung, Indonesia

teguhmusaharpa@gmail.com, iwijayanto@telkomuniversity.ac.id

Sugondo Hadiyoso  
 School of Applied Science  
 Telkom University  
 Bandung, Indonesia

sugondo@telkomuniversity.ac.id

**Abstract**—This research designed a three-dimensional (3D) laser scanner using dual laser to scan object placed in a rotating table with maximum dimension is 15 x 15 x 15 cm. Two lasers and one camera are placed and positioned with certain calculation so it can meet the requirements for triangulation technique. From the scanning process, obtained two point clouds which needed to be merged. We propose a new technique to obtain a good point clouds merger. The merging process of the point clouds is done by find the center of  $z$  axis as its overlap point then rotate one of the point clouds with a corresponding direction. Merged point clouds obtained by re-plotting the rotated point clouds to the other point clouds.

## I. INTRODUCTION

Three-dimensional (3D) scanner technology, also known as real-scene copying technology, is a technology that can be used to scan real 3D objects into digital 3D form. This technology collects 3D object data called point clouds and converts it into digital data form then it is processed by the computer to be reconstructed to form a 3D model [1].

3D laser scanning developed during the last half of the 20th century in an attempt to accurately recreate the surfaces of various objects and places. The technology is especially helpful in fields of research and design [2], [3]. In general 3D scanner technology is used to scan various objects in order to make a copy or re-design. A variety of sectors use this technology, such as the automotive part industry, architecture, 3D design, creative industries and many more.

In the previous research, the design of 3D scanning system acquired the coordinates of 3D object point clouds by using triangulation method. With this method, the coordinates of the point clouds are determined from the parameters involving the laser light, the camera, and the angle formed by the laser light and the camera [4].

Ahmed et al propose a technique to find a length of an object by using dot shaped pointer [5]. This technique also used by David et al to find the coordinate of point clouds. Using simple trigonometric calculations, the method is able to read the point clouds coordinates of the 3D object which captured by the camera [4]. But in practice the 3D scanner system is still unable to get whole surface of the object, especially when it is used to scan a random object. This condition happened because there are some blind spot so that the laser light is covered by the




Fig. 1. Triangulation Method

object it self, so it can not be captured with the camera. In this research we propose a new technique to solve the blind spot problem. We use dual laser to capture blind spot area that can not be reached by using one laser.

### A. Triangulation Method

Triangulation method is a method to obtain the position of the points on the line of laser lines that fall on the object which put on the turntable. In this method the laser projector, the laser beam point, and the camera are positioned to form a triangle with each other. By knowing the distance between the camera and the laser projector, as well as the angle of the laser projector, the camera's tilt angle can be determined through the fall of the laser line beam on the camera image. These three information can be used to determine the size and shape of the triangle circuit and the position of the fall of the laser beam point on the object. [6]

We designed a special condition in the rotating platform to help determine the 3D point clouds coordinates. The turntable placed right on the middle of camera's frame is used to help find the radius of the laser position. The radius is used to determine the 3D point clouds coordinates [4]. It represents




Fig. 2. Laser Light use to Determine 3D Point Clouds

the center of  $z$  axis which give information that the center of turntable rotation is right in the middle of the camera's frame. This information will lead us to obtain an easy way to merge some point clouds. In addition we have done some calibration to make sure that we obtained the right information about the center of  $z$  axis. Following is simplified formula to determine  $x$  and  $y$  coordinates.

$$x_i = L * \cos(\theta) \tag{1}$$

$$y_i = L * \sin(\theta) \tag{2}$$

Variable  $L$  represent length from center of motor rotation to the edge of laser point which has the highest threshold value. By using variable  $L$ , the value of  $x$  and  $y$  can be obtained even it's not represent the real length value of the object. While for the calculation of  $z$  coordinate points, it can use the location value of each row pixel on the laser line contained in the 2-dimensional frame of scanning results. Where the first pixel row represents the value of  $z = -1$  and the pixel line of the  $n^{th}$  laser line is the value of  $z = -n$  [4].

### B. Cloud to Cloud Merging Method

The cloud to cloud merging method is one of the methods used to combine 3D point clouds scans. In this method, the binding points used for merging process are obtained from the recording object points. The requirements for this method to make point clouds can be combined optimally, the point clouds must have an overlap points between one point clouds with the other [7]. In this research, the center of  $z$  axis of the object becomes the reference of overlap between one point clouds with the other. The  $z$  axis is represent the center of turntable rotation.

Point clouds obtained from the results of the scanning process using two lasers have different angle according to the magnitude of the angle between the camera with laser 1 and laser 2. The amount of angle between laser and camera that has been adjusted is equal to  $45^\circ$ , thus total difference of angle between scanned point clouds using laser 1 and 2 is  $90^\circ$ .

One point clouds obtained from scanning using these two lasers needs to be rotated by  $90^\circ$  with a corresponding direction to match each other so it can be directly combined without




Fig. 3. (a) Point Cloud 1, (b) Point Cloud 2, (c) Rotated Point Cloud 2, (d) Merged Point Cloud 1 and 2

finding the overlap points. Equation 3 and 4 are used to rotate the point clouds with rotary axis at center point (0,0) with turn angle  $\alpha$ . The value of  $\alpha$  corresponds to the angle difference between laser 1 and laser 2.

$$x' = x \cos \alpha - y \sin \alpha \tag{3}$$

$$y' = x \sin \alpha + y \cos \alpha \tag{4}$$

After obtaining two points clouds that corresponding each other, then the merging process can be directly done by re-plotting point clouds from one to the other point clouds. The re-plotting process can be done from point clouds laser 1 to point clouds laser 2 or vice versa.

## II. SYSTEM DESIGN

In general the system designed in this research is a development of previous system [4]. The use of dual lasers is to obtain data from blank spot area that can not be reach if only use one laser, so it can obtain more optimal digital form of the scanned objects. The design of dual laser scanning system is shown in the figure 4.

The process of converting 3D objects into digital form through two major stages: scanning and reconstruction. In the scanning process, the object is placed on a turn table that has been integrated in the system. Two lasers and a camera are placed in such a way so they meet the requirement of triangulation method. The scanning process is done several times in a stages accompanied by rotating turntable.

In reconstruction process, the results of scanning in the form of images are transformed into point clouds form. It can be done by doing segmentation process first to separate the laser light that will be used as a reference to determine the point clouds. Then point clouds that have been obtained are combined and plotted into digital 3D form.




Fig. 4. Dual Laser 3D Scanner System




Fig. 5. Diagram Block of Hardware System

### A. Hardware Design

The hardware used on the system includes personal computer, micro-controller, lasers, camera, stepper driver and stepper motor. All these components are integrated so they can run the scanning system. The diagram block on figure 5 shown the whole integrated hardware system.

In this research we use red line laser as light source. The red laser is the most common from all the type of lasers, the typical operation of most red lasers is between 635 - 670 nm. Because of how the human eye perceives frequencies and wavelengths, 635 nm is relatively brighter of the red lasers. Some manufacturers of red dot scope systems provide 630 nm wavelengths and are generally brighter than most of the red wavelength [8].

Object that being scanned is placed on the turntable which consist of motor stepper and its driver. The driver used in this research is A4988 motor stepper driver. This driver is a complete micro stepping motor driver with built-in translator. The driver output drive capacity of up to 35 V and 2 A. It is designed to operate bipolar stepper motors in full-, half-, quarter-, eighth-, and sixteenth-step modes [9].

### B. Software Design

To process the image received from the camera, then it's need to build software system to perform signal processing. Signal processing on the system includes segmentation stage, point clouds determination and reconstruction of point clouds into 3D form. The software system design described in the figure 6.

In accordance with the objectives of the research, the flow chart on figure 6 show the process of scanning objects with two




Fig. 6. Software System Flow Chart

lasers. In one step, two pictures are taken by the camera in a turn. The first image with condition only laser 1 is on, while the second image with only laser 2 is on.

After the image obtained then the process is continued by doing segmentation process to separate the laser beam and other objects in the image. The author uses thresholding method to segment the image. Mesko and Chmelar used laser line that has characteristics of red color and high intensity. In this research author took the reference of red laser that has Hue is (0, 70, 70) to (255, 255, 255) in 0 - 255 intensity level of RGB color space. This range was then used as threshold to segment the red laser line from the background. Pixels in the cropped images whose intensity fall within both thresholds was then marked with red color, otherwise it was a non-laser object and marked with current image's color [10]. The laser line obtained in the image used as a reference to calculate the coordinate point and determine the point clouds. The process is done 200 times or as much as one full cycle.

After one full rotation, the point clouds that have been obtained need to be combined to form a digital 3D object. The center of  $z$  axis made as its reference point for combining the point clouds. After all point clouds is merged, it is need to be plotted in 3D graph so it can be seen in 3D form and represent the scanned object.

## III. RESULT AND ANALYSIS

System testing is done in a room with light intensity 14 lux by using an object with a size of 10 x 10 x 15 cm. Testing done several times until obtained the best result of 3D point clouds as shown on figure 7. After obtained two point clouds, the next step is merging process. This process done by rotating second point clouds clockwise by  $90^\circ$  then re-plot it to the first point clouds. The result of merging process shown on figure 8. After scanning process complete, we obtained a merged of two point clouds that consist of point clouds from laser 1 and laser 2.




Fig. 7. (a) Object Sample, (b) Scanned Object use Laser 1, (c) Scanned Object use Laser 2




Fig. 8. Merged Point Cloud

A. Scale Precision Parameter

The level of scale precision can be known by looking at the difference between the ratio of the actual object and the ratio of scanned 3D object. The smaller the ratio difference, the higher precision level of the scanning result. In this test, we use cubical shape object to know the ratio between length, width and height of the object. Table 1 show the difference ratio of an object and the level of its scale precision.

From table 1 we can get information that the ratio of scanned 3D object and the original object has some differences. The differences are caused by several errors during scanning process. The placement of the laser and the determination center of  $z$  axis are the most affecting parameters. When the placement of laser is not exact in the middle of turntable and when

TABLE I  
SCALE PRECISION FROM SCANNING RESULT

Object Element	Original Size (cm)	Ratio	Scan Result Size (pixel)	Ratio	Precision Level
Length	10	1	732.13	1.02	98%
Width	10	1	720.14	1	100%
Height	10	1	710.25	0.98	98%




Fig. 9. (a) Scanned Object use Single Laser 3D Scanner, (b) Scanned Object use Dual Laser 3D Scanner

TABLE II  
SAMPLE DATA COORDINATE X AND Y FROM POINT CLOUD 1 AND 2

$z$	$x_1$	$x_2$	$y_1$	$y_2$
-301	190	183	212	208
-302	191	184	212	209
-303	191	185	212	209
-304	192	185	212	210
-305	192	185	214	211
-306	192	185	214	211
-307	193	186	216	212
-308	194	186	216	213
-309	194	186	217	213
-310	194	186	217	214

we determine wrong center of  $z$  axis, it made the laser line which captured by camera shifted. This shifting influenced the determination of point clouds coordinates.

B. Merging Accuracy

Merging process in this system has been solved the blind spot problem as we mentioned before. Figure 9 shown the result of scanning process using single laser and dual laser. We can see that the blind spot on the result of scanning process using single laser can be covered by using dual laser.

After the problem solved, we need to know the merging accuracy to obtain the best result of scanning process. Merging accuracy can be known by looking at the point clouds coordinates of scanned object. When point clouds 1 and 2 merged, then the result must be an overlap points of these two point clouds.




Fig. 10. (a) Merged Point Cloud Before Calibration, (b) Merged Point Cloud After Calibration

Table 2 show us that there are some differences coordinates between point clouds 1 and 2. This is caused the merging process not done correctly, the point is shifted instead of overlap. As well as difference on scale precision parameter, cause of this error is the wrong placement of the laser and bad determination center of  $z$  axis.

When the placement of laser is not exact in the middle of turntable and when we determine wrong center of  $z$  axis, it made the laser line which captured by camera shifted. This shifting influenced the determination of point clouds coordinates, as well as the merging process. To prevent from data error obtaining, we have to do some calibration to make sure that the laser light placement is exact in the middle of turntable and the center of  $z$  axis is determined correctly, and by doing it the merging accuracy increased. Figure 9 show the merging result before and after calibration.

#### IV. CONCLUSION

Dual laser 3D scanner built in this research is able to do scanning process on the object with maximum size of 15 x 15 x 15 cm. The result is quite satisfying, it's able to scan an object and convert it into digital form with level of scale precision approaching 98%. The accuracy of merging process still needs to be improved, the detail calibration must be done before scanning process to make sure that we obtaining the right  $x$ ,  $y$  and  $z$  coordinates of the point clouds.

#### REFERENCES

- [1] X. Chen, Q. Xia, and S. Zhang, "3D Laser Scanner System For Surveying And Engineering," *Proc. of the International Society for Photogrammetry and Remote Sensing*, no. 66, pp. 3–5, 2005. [Online]. Available: [ftp://jetty.ecn.purdue.edu/jshan/proceedings/URBAN\\_URS05/chen.pdf](ftp://jetty.ecn.purdue.edu/jshan/proceedings/URBAN_URS05/chen.pdf)
- [2] Dr. Mostafa Abdel-Bary Ebrahim, *3D Laser Scanners: History, Applications, and Future*. Egypt: Assiut University, 2011.
- [3] M. Abdel-Bary Ebrahim Professor, "3D Laser Scanners' Techniques Overview," *International Journal of Science and Research Index Copernicus Value Impact Factor*, vol. 14611, no. 10, pp. 2319–7064, 2013. [Online]. Available: [www.ijsr.net](http://www.ijsr.net)
- [4] D. Richardo, I. Wijayanto, and S. Hadiyoso, "Design and Implementation Of 3D Laser Scanner System Using Edge Detection Algorithm and Point Cloud Merging," Bandung, 2017.
- [5] A. A. Hamad, D. A. Dhahir, B. R. Mhdi, and W. H. Salim, "Laser Distance Measurement by using web camera," *IOSR Journal of Engineering*, vol. 04, no. 04, pp. 25–28, 2014.
- [6] S. Ongkodjojo, R. Adipranata, A. Oentaryo, J. T. Mesin, and F.-u. Petra, "System and Algorithm Design of 3 Dimensional Object Identification use Laser Pointer as Beam Generator," *Seminar Nasional Teknik Mesin*, no. April, 2008.
- [7] A. Zakaria, H. Handayani, M. Sc, T. Geomatika, F. Teknik, I. Teknologi, and S. Nopember, "Studi Pemodelan 3D Menggunakan Terrestrial Laser Scanner Berdasarkan Proses Registrasi Target to Target ( Studi Kasus : Candi Brahu , Mojokerto )," *Jurnal Teknik ITS*, vol. 4, no. 1, 2016.
- [8] S. Pikatan, *Laser*. Surabaya: Surabaya University, 1991.
- [9] C. Bell, *Maintaining and Troubleshooting Your 3D Printer*. New Yourk: Apress, 2014.
- [10] F. Utaminigrum, H. Fitriyah, R. C. Wihandika, M. A. Fauzi, D. Syauqy, and R. Maulana, "Fast obstacle distance estimation using laser line imaging technique for smart wheelchair," *International Journal of Electrical and Computer Engineering*, vol. 6, no. 4, pp. 1602–1609, 2016.